

SAFETY DATA SHEET



DATE ISSUED :	9/25/2015
SDS REF. No :	7100 SERIES

7100 SERIES EPOXY

1. PRODUCT AND COMPANY IDENTIFICATION

PRODUCT NAME: 7100 SERIES EPOXY
PRODUCT CODE: 7100 SERIES
PRODUCT USE: Industrial Solventborne Paint

MANUFACTURER
Cardinal Industrial Finishes
1329 Potrero Ave

S. El Monte, CA,
626 444-9274

24 HR. EMERGENCY TELEPHONE NUMBER
CHEMTREC (US Transportation): (800)424-9300
CHEMTREC (International Transportation) : 1(202)483-7616
WEB: WWW.CARDINALPAINT.COM

2. HAZARDS IDENTIFICATION

PICTOGRAMS



SIGNAL WORD : DANGER

HAZARD STATEMENTS :

H226 Flammable liquid and vapor.
H319 Causes serious eye irritation.
H336 May cause drowsiness or dizziness.

PRECAUTIONARY STATEMENTS :

P264 Wash thoroughly after handling.
P280 Wear protective gloves/protective clothing/eye protection/face protection.
P304 + P340 IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.
P312 Call a POISON CENTER or doctor/physician if you feel unwell.
P337 + P313 If eye irritation persists: Get medical advice/attention.
P403 Store in a well-ventilated place.
P501 Dispose of in accordance with Local, Regional, State, Federal, and International Regulations.
R40 Limited evidence of a carcinogenic effect.
S36 Wear suitable protective clothing.
S37 Wear suitable gloves.
P233 Keep container tightly closed.

3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Name	Weight %	CAS Number	
Bisphenol A	15% - 20%	80-05-7	
Methyl Ethyl Ketone	5% - 10%	78-93-3	

Methyl Amyl Ketone	5% - 10%	110-43-0	
Glycol Ether PM	5% - 10%	107-98-2	
Amorphous Silica	1% - 5%	7631-86-9	
P.M. Acetate	1% - 5%	108-65-6	
Ethylene glycol mono butyl ether	1% - 5%	111-76-2	
Carbon Black	0.10% - 0.50%	1333-86-4	
Phenylethane	0.10% - 0.50%	100-41-4	

The follow substances may be present in varying quantities depending on color.

Titanium Dioxide	0% - 60%	13463-67-7	
Carbon Black	0% - 40%	1333-86-4	

4. FIRST AID MEASURES

Description of first aid measures.

EYES CONTACT : Flush with large quantities of water for 15 to 30 minutes. Remove contact lenses. Keep eyes wide open while rising. If eye irritation persists: Get medical attention.

SKIN CONTACT : Wash exposed area with mild soap and water for 15 to 30 minutes. Remove contaminated clothing. Repeated exposure may cause dryness or cracking.

INGESTION : Rinse mouth. Do NOT induce vomiting. Keep victim warm and seek immediate attention.

INHALATION : Remove to fresh air and keep in a position comfortable to breath. Call a doctor/physician if you feel unwell. Get medical attention.

Most important symptoms and effects, both acute and delayed. Symptoms/injuries: Eye irritation

Symptoms/injuries after inhalation: May cause drowsiness or dizziness.

Symptoms/injuries after eye contact: Cause serious eye irritation.

Symptoms/injuries after ingestion: Ingestion may cause nausea, vomiting and diarrhea.

Indication of any immediate medical attention and special treatment needed.

If medical advice is needed, have product container or label on hand.

5. FIRE FIGHTING MEASURES

SUITABLE EXTINGUISHING MEDIA : In the event of a fire, use specifically suitable extinguishing agents. Suitable extinguishing media: Foam, alcohol resistant foam, CO₂, water fog. Unsuitable extinguishing media: Do not use heavy water stream. A heavy water stream may spread burning liquid.

FIRE FIGHTING PROCEDURE : Firefighting instructions: Use water spray or fog for cooling exposed containers. Exercise caution when fighting any chemical fire. Prevent fire-fighting water from entering the environment.

Protection during firefighting: Firefighters should wear full protective gear. Do not enter fire area without proper protective equipment, including self-contained breathing apparatus with full face piece operated in pressure demand or other positive pressure modes.

UNUSUAL FIRE AND EXPLOSION HAZARD : Fire hazard: Highly flammable/liquid or vapor.

Explosive hazard: May form flammable/explosive vapor-air mixture.

6. ACCIDENTAL RELEASE MEASURES

PERSONAL PRECAUTIONS, PROTECTIVE EQUIPMENT AND EMERGENCY PROCEDURES :

General measures: Remove ignition sources. Use special care to avoid static electric charges. No smoking.

FOR NON-EMERGENCY PERSONNEL :

For non-Emergency procedures: Evacuate unnecessary personnel.

FOR EMERGENCY RESPONDERS :

Equip cleanup crew with proper protection. Avoid breathing fume, vapors.

ENVIROMENTAL PRECAUTIONS :

Prevent entry to sewers and public waters.

METHODS AND MATERIAL FOR CONTAINMENT AND CLEAN UP :

Collect damaged aerosols and use absorbent and/or inert material, then place in suitable container.

7. HANDLING AND STORAGE

PRECAUTIONS FOR SAFE HANDLING : Additional hazards when processed: Handle empty containers with care because residual vapors are flammable.

Precautions for safe handling: Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when you are leaving work. Provide good ventilation in process area to prevent formation of vapor. No smoking. Use only non-sparking tools. Use outdoors or in a well ventilated area. Avoid breathing fume, vapors.

Hygiene measures: Wash Skin thoroughly after handling.

CONDITIONS FOR SAFE STORAGE, INCLUDING INCOMPATIBILITIES : Storage conditions: Store in a dry, cool and well-ventilated place away from: Heat sources. Direct sunlight.

Incompatible products: Strong bases. Strong acids.

Incompatible materials: Source of ignition. Direct sunlight. Heat Sources.

8. EXPOSURE CONTROLS\PERSONAL PROTECTION

Aliphatic Solvent(64742-47-8)		
USA ACGIH	ACGIH (TLV) TWA	200 mg/m3
USA NIOSH	NIOSH REL (ST)	10 mg/m3
USA NIOSH	NIOSH REL (TWA)	5 mg/m3
USA OSHA	OSHA OEL (TLV) TWA Table Z-1	500 ppm, 2,000 mg/m3
USA OSHA	OSHA OEL Table Z-1	5 mg/m3
Aluminum Hydroxide(21645-51-2)		
USA ACGIH	ACGIH (TLV) TWA	10 mg/m3 (Total dust), 3 mg/m3 (Respirable fraction)
USA OSHA	OSHA (PEL) TWA	15 mg/m3 (Tptal dust), 5 mg/m3 (Respirable fraction)
Carbon Black(1333-86-4)		
USA ACGIH	ACGIH TLV (mg/m3)	3.0 mg/m3
USA OSHA	OSHA PEL (mg/m3)	3.5 mg/m3
Dipropylene Glycol Methyl Ether(34590-94-8)		
USA ACGIH	ACGIH TLV STEL	150 ppm
USA ACGIH	ACGIH TLV TWA	100 ppm
USA NIOSH	NIOSH ST	150 ppm , 900 mg/m3
USA NIOSH	NIOSH TWA	100 ppm , 600 mg/m3
USA OSHA	OSHA Table Z-1 TWA	1000 ppm , 600 mg/m3
Ethylene glycol mono butyl ether(111-76-2)		
USA ACGIH	ACGIH TWA (ppm)	20 ppm
USA NIOSH	NIOSH REL (ppm)	5 ppm
USA OSHA	OSHA PO TWA (ppm)	25 ppm
USA OSHA	OSHA TABLE Z-1 TWA (mg/m3)	50 ppm, 240 mg/m3
Glycol Ether PM(107-98-2)		
USA ACGIH	ACGIH (TLV) (TWA)	50 ppm
USA ACGIH	ACGIH (TLV) STEL	100 ppm
USA NIOSH	NIOSH (TLV) ST	150 ppm, 540 mg/m3
USA NIOSH	NIOSH (TWA)	100 ppm, 360 mg/m3
Isobutyl Alcohol(78-83-1)		
USA ACGIH	ACGIH TWA	50 ppm
USA OSHA	OSHA PEL	100 ppm, 300 mg/m3
Meta-Xylene(108-38-3)		
USA ACGIH	ACGIH STEL TLV (15 m)	150 ppm, 651 mg/m3
USA ACGIH	ACGIH TWA (8 h)	100 ppm, 434 mg/m3
USA OSHA	OSHA TWA (8 h)	100 ppm, 435 mg/m3
Methyl Amyl Ketone(110-43-0)		

USA ACGIH	ACGIH TLV TWA	50 ppm
USA OSHA	OSHA PEL (Table Z-1)	100 ppm, 465 mg/m3
Methyl Ethyl Ketone(78-93-3)		
USA ACGIH	ACGIH STEL (ppm)	300 ppm
USA ACGIH	ACGIH TWA (ppm)	200 ppm
USA OSHA	OSHA PEL (STEL) (ppm)	100 ppm
USA OSHA	OSHA PEL TWA (mg/m3)	410 mg/m3
n-Butyl Acetate(123-86-4)		
USA ACGIH	ACGIH STEL	200 ppm
USA ACGIH	ACGIH TWA	150 ppm
USA OSHA	OSHA PEL (Table Z-1)	150 ppm, 710 mg/m3
O-Xylene(95-47-6)		
USA ACGIH	ACGIH (TLV) STEL	150 ppm
USA ACGIH	ACGIH (TLV) TWA	100 ppm
USA NIOSH	NIOSH (REL) ST	150 ppm, 655 mg/m3
USA NIOSH	NIOSH (REL) TWA	100 ppm, 435 mg/m3
USA OSHA	OSHA (OEL) TWA Table Z-1	100 ppm, 435 mg/m3
P.M. Acetate(108-65-6)		
USA AIHA	AIAH (WEEL) TWA	50 ppm
Para-Xylene(106-42-3)		
USA ACGIH	ACGIH (TLV) STEL	150 ppm
USA ACGIH	ACGIH (TLV) TWA	100 ppm
USA NIOSH	NIOSH (REL) ST	150 ppm, 650 mg/m3
USA NIOSH	NIOSH (REL) TWA	100 ppm, 435 mg/m3
USA OSHA	OSHA (OEL) TWA Table Z-1	100 ppm, 435 mg/m3
Phenylethane(100-41-4)		
USA ACGIH	ACGIH STEL	125 ppm
USA ACGIH	ACGIH TWA	20 ppm
USA NIOSH	NIOSH REL	100 ppm, 435 mg/m3
USA NIOSH	NIOSH REL (ST)	125 ppm, 545 mg/m3
USA OSHA	OSHA STEL	125 ppm, 545 mg/m3
USA OSHA	OSHA TWA (Table Z-1)	100 ppm, 435 mg/m3
Titanium Dioxide(13463-67-7)		
PEL (Permissible Exposure Limit)	OSHA TWA	15 mg/m3
TLV	ACGIH TWA	10 mg/m3
Toluene(108-88-3)		
USA ACGIH	ACGIH TWA	20 ppm
USA NIOSH	NIOSH REL (ST)	150 ppm, 560 mg/m3
USA NIOSH	NIOSH REL TWA	100 ppm, 375 mg/m3
USA OSHA	OSHA STEL (PO)	150 ppm, 560 mg/m3
USA OSHA	OSHA TWA (PO)	100 ppm, 375 ppm
USA OSHA	OSHA TWA (Table Z-2)	200 ppm
Xylene(1330-20-7)		
USA ACGIH	ACGIH STEL	150 ppm
USA ACGIH	ACGIH TWA	100 ppm
USA OSHA	OSHA TWA (Table Z-1)	100 PPM, 435 mg/m3

PERSONAL PROTECTIVE EQUIPMENT

RESPIRATORY PROTECTION : If TLV of the product or any component is exceeded, a NIOSH approved dust respirator is advised in absence of environmental control. OSHA Regulations also permit other NIOSH dust respirators under specified conditions. (See your Safety Equipment Supplier) Engineering or administrative controls should be implemented to reduce exposure.

HAND PROTECTION REMARKS : The suitability for a specific workplace should be discussed with the producers of the protective gloves.

EYES PROTECTION : Eye wash bottle with pure water. Tightly fitting safety goggles. Where face-shield and protective suit for abnormal processing problems.

SKIN AND BODY PROTECTION : Wear impervious clothing. Choose body protection according to the amount and concentration of the dangerous substance at the work place.

WORK HYGIENIC PRACTICES: When using do not eat or drink. When using do not smoke. Wash hands before breaks and at the end of workday.

9. PHYSICAL AND CHEMICAL PROPERTIES

Physical state	:	Liquid
Color	:	Various colors depending on the pigmentation.
Odor	:	Characteristic. Sweet. Mint like.
Odor threshold	:	No data available.
Ph	:	N/A – See Technical Data Sheet
Evaporation rate	:	Slower Than Ether
Melting point	:	No data available.
Freezing point	:	No data available.
Boiling point	:	175.0 deg F TO 427.0 Deg F
Flash point	:	24.00 deg F
Lower explosion limit	:	.8
Upper explosion limit	:	16.0
Vapor pressure	:	185 mm Hg
Vapor density	:	Heavier than air
Relative density	:	No data available.
Density	:	11.3955
Solubility	:	No data available.
Partion coefficient: n-octanol/water	:	No data available.
Autoignition temperature	:	No data available.
Decomposition temperature	:	No data available.

10. STABILITY AND REACTIVITY

REACTIVITY : No dangerous reaction known under conditions of normal use.

CHEMICAL STABILITY : Stable under normal conditions.

CONDITIONS TO AVOID : Heat, flames and sparks. Extremely high temperatures and direct sunlight.

INCOMPATIBLE MATERIALS : Avoid contact with strong oxidizing agents.

HAZARDOUS DECOMPOSITION PRODUCTS: Carbon dioxide (CO₂), carbon monoxide (CO), oxides of nitrogen (NO_x), dense black smoke.

11. TOXICOLOGICAL INFORMATION

Aliphatic Solvent(64742-47-8)	
Acute Dermal toxicity	No data available.
Acute Inhalation toxicity	No data available.
Acute toxicity	No data available.
Additional Information	RTECS: Not available Prolonged or repeated exposure to skin causes defatting and dermatitis. To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated.
Aspiration hazard	No data available.
Carcinogenicity	IARC: 3 - Group 3: Not classifiable as to its carcinogenicity to humans (Distillates (petroleum), hydrotrated light, kerosene - unspecified) NTP: No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP. OSHA: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA.
Germ cell mutagenicity	Reverse mutation assay <i>S. typhimurium</i> Result: negative
Reproductive toxicity	No data available.
Respiratory or skin sensitization	Draize Test - Guinea pig Result: Does not cause skin sensitization.
Serious eye damage/eye irritation	Eyes - Rabbit Result: No eye irritation
Skin corrosion/irritation	Skin - Rabbit Result: No skin irritation - 4 h
Specific target organ toxicity - repeated exposure	No data available.
Specific target organ toxicity - single exposure	No data available.
Aluminum Hydroxide(21645-51-2)	
Additional Information	RTECS: BD0940000 Nausea, Vomiting, and Constipation.
Aspiration hazard	No data available.
Carcinogenicity	IARC: No components of this product present at levels greater than or equal to 0.1%

	is identified as probable, possible or confirmed human carcinogen by IARC. ACGIH: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by ACGIH. NTP: No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP. OSHA: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA.
Dermal	No data available.
Germ cell mutagenicity	Mouse lymphocyte Result- negative Mutagenicity (micronucleus test) Rat - male Result: negative
Inhalation	No data available.
LD50 Oral - Rat - female - Acute toxicity	>5,000 mg/kg, Oral - Rat - female
Reproductive toxicity	No data available.
Respiratory or skin sensitization	Maximization Test (GPMT) - Guinea pig Result- Does not cause skin sensitization.(OECD Test Guideline 406)
Serious eye damage/eye irritation	Eyes - Rabbit Result: No eye irritation (OECD Test Guideline 405)
Skin corrosion/irritation	Skin - Rabbit Result: No skin irritation - 4 h (OECD Test Guideline 404)
Specific target organ toxicity - repeated exposure	No data available.
Specific target organ toxicity - single exposure	No data available.
Amorphous Silica(7631-86-9)	
Additional toxicological information	The product is not subject to classification according to internally approved calculation methods for preparations: When used and handled according to specifications, the product does not have any harmful effects according to our experience and information provided to us.
Irritant of skin	Not irritating (rabbit) (OCED 404)
Irritant of eyes	Not irritating (rabbit) (OCED 405)
LC0 - Inhalative	>140->2000 mg/m3 / 4 h (Rat) (OCED 403)
LD50 - Dermal - Rabbit	>5000 mg/kg (Rabbit)
LD50 - Oral - Rat	>5000 mg/kg (Rat) (OECD 401)
Other information - Oral	=> 1340 mg/kg/day
Sensitization	Not sensitizing (guinea pig) (OCED 406)
Carbon Black(1333-86-4)	
ACGIH	ACGIH The American Conference of Governmental Industrial Hygienists classifies carbon black as A4, Not Classifiable as a Human Carcinogen.
Carcinogenicity Classification	GHS- Not a hazardous substance or preparation according to the Global Harmonized System (GHS).
Human Epidemiology	Results of epidemiological studies of carbon black production workers suggest that cumulative exposure to carbon black may result in small decrements in lung function, as measured by FEV1. A recent U.S. respiratory morbidity study suggested a 27 mL decline in FEV1 from a 1 mg/m3 (inhalable fraction) exposure over a 40-year period. An older European investigation suggested an exposure to 1 mg/m3 (inhalable fraction) of carbon black over a 40-year working-lifetime will result in a 48 mL decline in FEV1. In contrast, normal age related decline over a similar period of time would be approximately 1200 ml. The relationship between symptoms and exposure to carbon black is less clear. In the U.S. study, 9% of the highest exposure group (in contrast to 5% of the unexposed group) reported symptoms consistent with chronic bronchitis. In the European study, methodological limitations in the administration of the questionnaire limit the drawing of definitive conclusions about symptoms.
Human Epidemiology - cont	Since this IARC evaluation of carbon black, Sorahan and Harrington 16) re-analyzed the UK study data using an alternative exposure hypothesis and found a positive association with carbon black exposure in two of the five plants. The same exposure hypothesis was applied by Morfeld and McCunney 17-18) to the German cohort; in contrast, they found no association between carbon black exposure and lung cancer risk and, thus, no support for the alternative exposure hypothesis used by Sorahan and Harrington 16).
Human Epidemiology - cont.	Morfeld and McCunney 19) applied a Bayesian approach to unravel the role of uncontrolled confounders and identified smoking and prior exposure to occupational carcinogens received before being hired in the carbon black industry as main causes of the observed lung cancer excess risk. Overall, as a result of these detailed investigations, no causative link between carbon black exposure and cancer risk in humans has been demonstrated. This view is consistent with the IARC evaluation in 2006. Several epidemiological and clinical studies of workers in the carbon black production industries show no evidence of clinically significant adverse health effects due to occupational exposure to carbon black. No dose response relationship was observed in workers exposed to carbon black.
Human Epidemiology -cont.	This study, however, indicated a link between carbon black and small opacities on chest films, with negligible effects on lung function. A study on carbon black

	production workers in the UK 10) found an increased risk of lung cancer in two of the five plants studied; however, the increase was not related to the dose of carbon black. Thus, the authors did not consider the increased risk in lung cancer to be due to carbon black exposure. A German study of carbon black workers at one plant 11-14) found a similar increase in lung cancer risk but, like the 2001 UK study 10), found no association with carbon black exposure. In contrast, a large US study 15) of 18 plants showed a reduction in lung cancer risk in carbon black production workers. Based upon these studies, the February 2006 Working Group at IARC concluded that the human evidence for carcinogenicity was inadequate 1) .!
IARC	IARC In 1995 IARC concluded, "There is inadequate evidence in humans for the carcinogenicity of carbon black." Based on rat inhalation studies IARC concluded that there is, "sufficient evidence in experimental animals for the carcinogenicity of carbon black," IARC's overall evaluation was that, "Carbon black is possibly carcinogenic to humans (Group 2B)". This conclusion was based on IARC's guidelines, which require such a classification if one species exhibits carcinogenicity in two or more studies. IARC performed another review in 2006, and again classified carbon black as possibly carcinogenic to humans (Group 2B). In its 1987 review IARC concluded, "There is sufficient evidence in experimental animals for the carcinogenicity of carbon black extracts." Carbon black extracts are classified as, possibly carcinogenic to humans (Group 2B).
LD50 (Rat)	>8000 mg/kg
Mutagenic Effects and Germ Cell Mutagenicity	In an experimental investigation, mutational changes in the hprt gene were reported in alveolar epithelial cells in the rat following inhalation exposure to carbon black. This observation is believed to be rat specific and a consequence of "lung overload" which led to chronic inflammation and release of genotoxic oxygen species. This mechanism is considered to be a secondary genotoxic effect and thus, carbon black itself would not be considered to be mutagenic. Carbon black is not suitable to be tested in bacterial (Ames test) and other in vitro systems because of its insolubility in aqueous solutions. When tested, however, results for carbon black showed no mutagenic effects. Organic solvent extracts of carbon black can, however, contain traces of polycyclic aromatic hydrocarbons (PAHs). A study to examine the bioavailability of these PAHs showed that PAHs are very tightly bound to carbon black and not bioavailable.
NIOSH	NIOSH The U.S. National Institute of Occupational Safety and Health (NIOSH) 1978 criteria document on carbon black recommends that only carbon blacks with PAH contaminant levels greater than 0.1% require the measurement of PAHs in air. As some PAHs are possible human carcinogens, NIOSH recommends an exposure limit of 0.1 mg/m ³ for PAHs in air, measured as the cyclohexane-extractable fraction.
NTP	NTP Carbon black is not designated a carcinogen by the U.S. National Toxicology Program (NTP), the U.S. Occupational Safety and Health Administration (OSHA) or the European Union (EU).
Reproductive and Teratogenic Effects	No experimental studies on effects of carbon black on fertility and reproduction have been located. However, based on toxicokinetic data, carbon black is deposited in the lungs and based on its specific physicochemical properties (insolubility, low absorption potential), it is not likely to distribute in the body to reach reproductive organs, embryo and/or fetus under in vivo conditions. Therefore, no adverse effects of carbon black to fertility/reproduction or to fetal development are expected. No effects have been reported in long-term animal studies.
Sensitization	No animal data is available. No cases in humans have been reported.
STOT- repeated exposure	Therefore, no STOT, Repeated exposure classification is made.
STOT- single exposure	Inhalation studies with the rat showed lung effects (see Section 11.2 and 11.3), these effects are believed to be the effects of "lung overload" 1 and these effects are believed to be specific to the species. In addition, the European CLP Regulation states that no classification is necessary if the mechanism is not relevant to humans. 4) Also, the CLP Guidance on classification and labeling states that the "lung overload" mechanism is not relevant to humans. 4) Therefore, no STOT, Repeated Exposure classification is made
Dipropylene Glycol Methyl Ether(34590-94-8)	
Additional Information	RTECS: JM 1575000 TO the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated. Stomach , Irregularities , Based on Human evidence. Stomach , Irregularities , Based on Human evidence.
Aspiration Hazard	No Data Available
Carcinogenicity	IARC: No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC. ACGIH: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by ACGIH. NTP: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by NTP. OSHA: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by

	OSHA.
Dermal	No Data Available
Germ Cell Mutagenicity	No Data Available
Inhalation	No Data Available
LD50 Oral (RAT)	5,152 mg/kg
Reproductive Toxicity	No Data Available
Respiratory or skin sensitization	No Data Available
Skin Corrosion / Irritation Serious eye damage / eye irritation (EYES , RABBIT)	24 h
Specific target organ toxicity - Repeated Exposure	No Data Available
Specific target organ toxicity - Single Exposure	No Data Available
Ethylene glycol mono butyl ether(111-76-2)	
Aspiration toxicity	Remarks: No data available.
Carcinogenicity	Species mouse, Application Route: Inhalation, Exposure time 2 yr, Activity duration: 6 h, Frequency of Treatment: 5 days/week, NAOEL: 125 ppm Result: Limited evidence of carcinogenic effects with no relevance to humans., Carcinogenicity-Assessment: Not evidence of carcinogenicity in animal studies..
Further information	Product Remarks: Symptoms of overexposure may be headache, dizziness, tiredness, nausea and vomiting.,
Germ cell mutagenicity	Genotoxicity in vitro: Test Type: Mammalian cell gene mutation assay; Test species: Chinese hamster (CHO), Metabolic activation: with and without metabolic activation. Result: negative. Genotoxicity in vivo: Test Type: In vivo micronucleus test., Test species:: mouse (male), application Route: Intraperitoneal, Result: negative., Germ cell mutagenicity Assessment: Tests on bacterial or mammalian did not show mutagenic effects.
LC50 (rat) inhalation	Acute inhalation toxicity: 500 ppm, Exposure time: 4 h; Assessment: the component/mixture is moderately toxic after short term inhalation.
LC50 (rat) Oral	Acute toxicity estimate: 500 mg/kg; Method: Expert judgment.; Assessment: the component/mixture is moderately toxic after single ingestion.
LD50 (rat) dermal	Acute toxicity estimate: 1,1000 mg/kg; Method: Expert judgment; Assessment: the component/mixture is moderately toxic after single contact with skin.
Repeated dose toxicity	Species: rat NOAEL: 30, Application Route: Inhalation Exposure time: 14 wk Number of exposures: 6 h/d, 5 d/wk.
Reproductive toxicity	Effects on fertility : Test Type: Two-generation study Species: mouse Application Route: oral Fertility: NOAEL: 720 mg/kg body weight Symptoms: Reduced fertility Result: Reduced fertility at maternally toxic doses Effects on fetal development : Test Type: Embryo-fetal development Species: rat Application Route: Inhalation Duration of Single Treatment: 10 d Frequency of Treatment: 6 hr/day Developmental Toxicity: Lowest observed adverse effect level: 100 ppm Result: Developmental toxicity occurred at maternal toxicity dose levels Reproductive toxicity - Assessment : No evidence of adverse effects on sexual function and fertility, and on development, based on animal experiments
Respiratory or skin sensitisation	Test Type: Maximization test, Species guinea pig, Result: Did not cause sensitization on laboratory animals.
Serious eye damage/ eye irritation	Species rabbit, Exposure time 24 h, Result: Irritating to eyes.
Skin corrosion/irritation	Remarks: Moderate skin irritation in susceptible persons., Species rabbit, Exposure time 24 h, Result: Mild skin irritation
STOT - repeated exposure	No data available.
STOT - single exposure	No data available.
Glycol Ether PM(107-98-2)	
Additional Information	RTECS: UB7700000 To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated. Stomach - Irregularities - Based on Human Evidence Stomach - Irregularities - Based on Human Evidence
Additional Information	RTECS: UB7700000 To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated. Stomach - Irregularities - Based on Human Evidence Stomach - Irregularities - Based on Human Evidence.
Aspiration hazard	No data available.
Carcinogenicity	IARC: No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC. NTP: No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP. OSHA: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA.
Germ cell mutagenicity	No data available

LC50 Inhalation - Rat - Inhalation	10000 ppm, - Rat - 5 h
LD50 Dermal - Rabbit - Dermal	13,000 mg/kg, Rabbit
LD50 Oral - Mouse - Acute Toxicity	11,700 mg/kg, Behavioral: Convulsions or effect on seizure threshold. Behavioral: Ataxia. Lungs, Thorax, or Respiration:Dyspnea.
Reproductive toxicity	No data available.
Serious eye damage/eye irritation	Eyes - Rabbit Result: Mild eye irritation - 24 h Respiratory or skin sensitization
Skin corrosion/irritation	No data available.
Specific target organ toxicity - repeated exposure	No data available.
Specific target organ toxicity - single exposure	May cause drowsiness or dizziness.
Isobutyl Alcohol(78-83-1)	
Carcinogenicity Data:	The ingredient(s) of this product is (are) not classified as carcinogenic by ACGIH, IARC, OSHA or NTP.
LC50 Inhalation - Rat	8000 ppm; (4 h)
LD50 Dermal - Rabbit	3400 mg/kg
LD50 Oral - Rat (Acute Toxicity)	2460 mg/kg
Mutagenicity Data:	No adverse mutagenicity effects are anticipated.
Reproductive Data:	No adverse reproductive effects are anticipated.
Respiratory / Skin Sensitization Data:	None known.
Synergistic Materials:	Alcohols may interact synergistically with chlorinated solvents (example - carbon tetrachloride, chloroform, bromotrichloromethane), dithiocarbamates (example - disulfiram), dimethylnitrosamine and thioacetamide.
Tetragenicity Data:	No adverse Tetragenicity effects are anticipated.
Meta-Xylene(108-38-3)	
Additional Information	RTECS: ZE2275000 Liver injury may occur., Kidney injury may occur., Blood disorders, burning sensation, Cough, wheezing, laryngitis, Shortness of breath, Headache, Nausea, Vomiting, narcosis, Lung irritation, chest pain, pulmonary edema, Central nervous system depression, Dermatitis, Gastrointestinal disturbance.
Aspiration hazard	May be fatal if swallowed and enters airways.
Carcinogenicity	This product is or contains a component that is not classifiable as to its carcinogenicity based on its IARC, ACGIH, NTP, or EPA classification. IARC: 3 - Group 3: Not classifiable as to its carcinogenicity to humans (m-Xylene) NTP: No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP. OSHA: No component of this product presents at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA.
Germ cell mutagenicity	No data available.
LC50 Inhalation (Rat, Male)	6700 ppm, 4 h - (Directive 67/548/EEC, Annex V, B.2.)
LD50 Dermal (Rabbit, Male)	12,126 mg/kg Remarks: Classified according to Regulation (EU) 1272/2008, Annex VI (Table 3.1/3.2). No data available.
LD50 Oral (Rat, Male)	6,602 mg/kg (OECD Test Guideline 401)
Reproductive toxicity	Overexposure may cause reproductive disorder(s) based on tests with laboratory animals.
Respiratory or skin sensitization	Mouse Result: Does not cause skin sensitization. (OECD Test Guideline 429)
Serious eye damage/eye irritation	Eyes - Rabbit Result: Severe eye irritation - 24 h
Skin corrosion/irritation	Skin - Rabbit Result: Skin irritation - 24 h
Specific target organ toxicity - repeated exposure	No data available.
Specific target organ toxicity - single exposure	Inhalation - May cause respiratory irritation.
Methyl Amyl Ketone(110-43-0)	
Aspiration hazard	May be harmful if swallowed and enters airways.
Carcinogenicity	No data available.
LD50 Dermal - (Rat)	>2,000 mg/kg
LD50 Inhalation - (Rat)	>16.7 mg/l (4 h)
LD-50 Oral - (Rat)	1,600 mg/kg
Mutagenicity	In vitro, No data available., In vivo, No data available.
Other adverse effects	No data available.
Repeated dose toxicity	No data available.
Reproductive toxicity	No data available.
Respiratory or skin sensitization	Skin Sensitization:, (Mouse) - non-sensitizing.
Serious eye damage/eye irritation	(Rabbit, 24 h): slight.
Skin corrosion/irritation	(Rabbit, 24 h): moderate.

Specific target organ toxicity - repeated exposure	No data available.
Specific target organ toxicity - single exposure	No data available.
Methyl Ethyl Ketone(78-93-3)	
Aspiration toxicity	Product: May be harmful if swallowed and enters airways.
Carcinogenicity	Remarks: This information is not available, Carcinogenicity-Assement: Not classified as a human carcinogen.
Further information	Product Remarks: Symptoms of overexposure may be headache, diaainess, titedness, nausea and vomiting.,
Germ cell mutagenicity	Genotoxicity in vitro: Test Type: Ames test, Metabolic activation: with and without metabolic activation, Method OECD Test Guideline 471
LC50 (mouse) inhalation	320 mg/l (4 h exposure)
LC50 (rat) Oral	3737 mg/kg
LD50 (rabbit) dermal	6,480 mg/kg
Reproductive toxicity	Effects on fetal development, Species: rat female, Application Route: Inhalation, Dose: 400, 1000, 3000 ppm,
Respiratory or skin sensitisation	Test Type: Buehler Test, Species guinea pig, Method OECD Test Guideline 406, Result: Did not cause sensitization on laboratory animals.
Serious eye damage/ eye irritation	Remarks: Severe skin irritation, Species rabbit, Exposure time 24 h, Result: Irritation to eyes
Skin corrosion/irritation	Remarks: Moderate skin irritation, Species rabbit, Exposure time 24 h, Result: Mild skin irritation
STOT - repeated exposure	Product: No data available, Components: No data available.
STOT - single exposure	Product: Target Organs: Central Nervous system, Components: Exposure routes: Inhalation, Product: Target Organs: Central Nervous system
n-Butyl Acetate(123-86-4)	
Aspiration hazard	No data available.
Carcinogenicity	No data available.
Inhalation	No data available.
LD-50 Dermal - (Rabbit)	> 16ml/kg
LD-50 Oral - (Rat)	14,130 mg/kg
Mutagenicity	In vitro: No data available. In vivo: No data available.
Other adverse effects:	No data available.
Repeated dose toxicity	No data available.
Reproductive toxicity	No data available.
Respiratory or skin sensitization	Skin Sensitization:, (Guinea Pig) - non-sensitizing.
Serious eye damage/eye irritation	(Rabbit, 24 h): none
Skin corrosion/irritation	(Rabbit, 24 h): none
Specific target organ toxicity - repeated exposure	No data available.
Specific target organ toxicity - single exposure	Narcotic effect.
O-Xylene(95-47-6)	
Additional Information	RTECS: ZE2450000 narcosis, Lung irritation, chest pain, pulmonary edema, Central nervous system depression, Dermatitis, Gastrointestinal disturbance, Liver injury may occur., Kidney injury may occur., Blood disorders Nerves. -
Aspiration hazard	May be fatal if swallowed and enters airways.
Carcinogenicity	This product is or contains a component that is not classifiable as to its carcinogenicity based on its IARC, ACGIH, NTP, or EPA classification. IARC: 3 - Group 3: Not classifiable as to its carcinogenicity to humans (o-Xylene) NTP: No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP. OSHA: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA.
Dermal -	No data available.
Germ cell mutagenicity	Ames test Salmonella typhimurium Result: negative
LC50 - Inhalation - Rat - Male	>18,800 mg/m3, Rat - male - 6 h
LD50 - Intraperitoneal - Mouse - Oral - Acute Toxicity	1,364 mg/kg, Mouse
Reproductive toxicity	No data available.
Respiratory or skin sensitization	Mouse Result: Does not cause skin sensitization. (OECD Test Guideline 429)
Serious eye damage/eye irritation	No data available.
Skin corrosion/irritation	Skin - Rabbit Result: Irritating to skin. - 24 h
Specific target organ toxicity - repeated exposure	No data available.
Specific target organ toxicity -	No data available.

single exposure	
P.M. Acetate(108-65-6)	
Aspiration hazard	No data available.
Carcinogenicity	No data available.
LC50 - Inhalation Rat	>4345 ppm (Rat, 6 h)
LD50 - Dermal - Rabbit	>5000 mg/kg
LD50 - Oral - Rat	6,190 mg/kg
Mutagenicity	In vitro: No data available. In vivo: No data available.
Other adverse effects	No data available.
Repeated dose toxicity	No data available.
Reproductive toxicity.	No data available.
Respiratory or skin sensitization	Skin Sensitization:, (Guinea Pig) - non-sensitizing
Serious eye damage/eye irritation	(Rabbit): very slight
Skin corrosion/irritation	Specified substance(s) 2-methoxy-1-methylethyl acetate (Rabbit, 4 h): none (Rabbit, 24 h): none.
Specific target organ toxicity - repeated exposure	No data available.
Specific target organ toxicity - single exposure	No data available.
Para-Xylene(106-42-3)	
Additional Information	RTECS: ZE2625000 narcosis, Lung irritation, chest pain, pulmonary edema, Central nervous system depression, Gastrointestinal disturbance, Liver injury may occur., Kidney injury may occur., Blood disorders Stomach - Irregularities - Based on Human Evidence Stomach - Irregularities - Based on Human Evidence.
Aspiration hazard	No data available.
Carcinogenicity	IARC: 3 - Group 3: Not classifiable as to its carcinogenicity to humans (p-Xylene) NTP: No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP. OSHA: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA.
Germ cell mutagenicity	No data available.
LC50 - Inhalation - Rat	4,550 ppm, Rat - 4 h
LD50 - Oral - Rat - Acute toxicity	5,000 mg/m3, Oral - Rat
LD50 - Oral - Rat -Male	3,253 mg/kg, Oral - Rat - Male
Reproductive toxicity	No data available. May cause reproductive disorders.
Respiratory or skin sensitization	No data available.
Serious eye damage/eye irritation	No data available.
Skin corrosion/irritation	Skin - Rabbit Result: Moderate skin irritation - 4 h
Specific target organ toxicity - repeated exposure	No data available.
Specific target organ toxicity - single exposure	No data available.
phenol, 4-(1-1-dimethylethyl)-, polymer with 2-(chromomethyl)oxirane and 4,4'-(1-methylethylidene)bis[phenol](80-05-7)	
Acute toxicity estimates	No data available.
Aspiration hazard	No data available.
Carcinogenicity	Bisphenol A diglycidyl ether resin OECD 453 Combined Chronic Toxicity/Carcinogenicity Studies Rat - Male, Female 15 mg/kg 2 years; 7 days per week Negative - Oral -NOAEL, OECD 453 Combined Chronic Toxicity/Carcinogenicity Studies Rat - Female 1 mg/kg 2 years; 5 days per week Negative - Dermal - NOEL, OECD 453 Combined Chronic Toxicity/Carcinogenicity Studies Mouse - Male 0.1 mg/kg 2 years; 3 days per week Negative - Dermal - NOEL
Delayed and immediate effects and also chronic effects from short and long term exposure	Short term exposure- Potential immediate effects- Not available. - Potential delayed effects- Not available. Long term exposure- Potential immediate effects- Not available. - Potential delayed effects- Not available.
Irritation/Corrosion	No data available.
LD50 Dermal - Rat- Male & Female	>2,000 mg/kg, Oral, Rat - Female (OECD 402 Acute Dermal Toxicity)
LD50 Oral - Rat-Female - Acute Toxicity	>2,000 mg/kg, Oral, Rat - Female (OECD 420 Acute Oral Toxicity - Fixed Dose Method)
Mutagenicity	Bisphenol A diglycidyl ether Resin Experiment: In vitro Positive, Subject Bacteria Metabolic activation +/- Experiment In vitro Positive, Subject Mammalian-Animal Cell Somatic Metabolic activation: +/- Experiment: In vivo Negative, Subject Mammalian-Animal Cell Germ Experiment In vivo Negative, Subject Mammalian-Animal Cell Somatic Negative
Potential acute health effects	Eye contact- No known significant effects or critical hazards. Inhalation- No known significant effects or critical hazards. Skin contact- No known significant effects or

	critical hazards. Ingestion- No known significant effects or critical hazards.
Potential chronic health effects	Product/ingredient name Test Endpoint Species Result General- No known significant effects or critical hazards. Carcinogenicity- No known significant effects or critical hazards. Mutagenicity- No known significant effects or critical hazards. Teratogenicity- No known significant effects or critical hazards. Developmental effects- No known significant effects or critical hazards. Fertility effects- No known significant effects or critical hazards
Reproductive toxicity	Bisphenol A diglycidyl ether resin OECD 416 Two-Generation Reproduction Toxicity Study Rat - Male,
Sensitization	No data available.
Specific target organ toxicity (repeated exposure)	No data available.
Specific target organ toxicity (single exposure)	No data available.
Symptoms related to the physical, chemical and toxicological characteristics	Eye contact- No specific data. Inhalation No specific data. Skin contact- No specific data. Ingestion- No specific data.
Teratogenicity	Bisphenol A diglycidyl ether resin OECD 414 Prenatal Developmental Toxicity Study Rat - Female Negative - Oral, EPA CFR Rabbit - Female Negative - Dermal, OECD 414 Prenatal Developmental
Phenylethane(100-41-4)	
Aspiration toxicity	May be fatal if swallowed and enters airways.
Carcinogenicity	Species: mouse, (male and female) Application Route: Inhalation Exposure time: 103 wk Activity duration: 6 h Dose: 0, 75, 250, 750 ppm Frequency of Treatment: 5 days/week NOAEL: 250 ppm Method: OECD Test Guideline 453 Result: evidence of carcinogenic activity Symptoms: increased incidences of alveolar/bronchiolar neoplasms, increase incidence of hepatocellular carcinomas GLP: yes Carcinogenicity - Assessment : Carcinogenicity classification not possible from current data.
Germ cell mutagenicity	Genotoxicity in vitro, Test Type: Chromosome aberration test in vitro Test species: Chinese hamster ovary (CHO) Metabolic activation: with and without metabolic activation Method: OECD Test Guideline 473 Result: negative GLP: no : Test Type: Mammalian cell gene mutation assay Test species: mouse lymphoma cells Metabolic activation: with and without metabolic activation Method : OECD Test Guideline 476 Result: negative GLP: yes Genotoxicity in vivo : Test Type: In vivo micronucleus test species: mouse (male) Application Route: Oral Method: OECD Test Guideline 474 Result: negative GLP: yes Test Type: DNA damage and/or repair Test species: mouse (male and female)Application Route: Inhalation Method: OECD Test Guideline 486 Result: negative GLP: yes Germ cell mutagenicity Assessment : In vivo tests did not show mutagenic effects
LC50 (Mouse, Male)	10 mg/l Assessment: The component/mixture is moderately toxic after short term inhalation.
LD50 (rabbit)	15,433 mg/kg
Repeated dose toxicity	Species: rat, male and female NOAEL: 75 mg/kg Application Route: Oral Exposure time: 28 d Dose: 75, 250 and 750 mg/kg bw/day Method: OECD Test Guideline 407 GLP: yes Symptoms: Increased kidney and liver weights
Reproductive toxicity	Effects on fertility : Test Type: One generation study Species: rat, male and female Application Route: Inhalation Dose: 0, 100, 500 and 1000 ppm Duration of Single Treatment: 6 h General Toxicity - Parent: NOAEC: 1,000 ppm General Toxicity F1: NOAEC: 100 ppm Symptoms: Reduced fetal weight. Reduced offspring weight gain. Method: OECD Test Guideline 415 Result: No reproductive effects. GLP: yes Effects on fetal development : Species: rat Application Route: Inhalation Dose: 0, 100, 500, 1000, 2000 ppm Duration of Single Treatment: 15 d General Toxicity Maternal: NOAEC: 500 ppm Teratogenicity: NOAEC: 2,000 ppm Developmental Toxicity: NOAEC: 500 ppm Symptoms: Reduced body weight Method: OECD Test Guideline 414 Result: Developmental toxicity occurred at maternal toxicity dose levels GLP: No data available Reproductive toxicity - Assessment : No toxicity to reproduction Did not show teratogenic effects in animal experiments.
Respiratory or skin sensitization	Remarks: No data available
Serious eye damage/eye irritation	Species: rabbit Result: Mild eye irritation Remarks: No data available
Skin corrosion/irritation	Species: rabbit Result: Mild skin irritation
STOT - repeated exposure	Target Organs: Auditory system Assessment: May cause damage to organs through prolonged or repeated exposure., The substance or mixture is classified as specific target organ toxicant, repeated exposure, category 2.
STOT - single exposure	No data available.
Titanium Dioxide(13463-67-7)	
Carcinogenicity	In lifetime inhalation studies rats were exposed for 2 years to respectively 10, 50, 250 mg/m3 of respirable TiO2.
Dermal ALD (rabbit)	>10000 mg/m3
Eye irritation	slight irritation

Inhalation 4 h ALC	>6.82 mg/l
ORAL ALD (rat)	>2400 mg/kg
Sensitisation	Did not cause sensitisation on laboratory animals.
Skin irritation	slight irritation
Toluene(108-88-3)	
Aspiration toxicity	Aspiration Toxicity - Category 1
Carcinogenicity	Species: rat, (male and female) Application Route: inhalation (vapour) Exposure time: 103 wks Dose: 0, 600, 1200 ppm Frequency of Treatment: 6.5 h/d, 5 d/wk NOAEL: No observed adverse effect level: 1,200 ppm Method: OECD Test Guideline 453 Result: did not display carcinogenic properties Symptoms: Erosion of nasal epithelium Species: rat, (male and female) Application Route: inhalation (vapor) Exposure time: 103 wks Dose: 0, 600, 1200 ppm Frequency of Treatment: 6.5 h/d, 5 d/wk NOAEL: No observed adverse effect level: 1,200 ppm Method: OECD Test Guideline 453 Result: did not display carcinogenic properties Symptoms: Erosion of nasal epithelium Species: rat, (male and female) Application Route: inhalation (vapor) Exposure time: 103 wks Dose: 0, 600, 1200 ppm Frequency of Treatment: 6.5 h/d, 5 d/wk NOAEL: No observed adverse effect level: 1,200 ppm Method: OECD Test Guideline 453 Result: did not display carcinogenic properties Symptoms: Erosion of nasal epithelium , GLP: yes, Carcinogen
Further information	Remarks: Symptoms of overexposure may be headache, dizziness, tiredness, nausea and vomiting. Concentrations substantially above the TLV value may cause narcotic effects. Solvents may degrease the skin.
Germ cell mutagenicity	Genotoxicity in vitro : Test Type: Mammalian cell gene mutation assay Test species: Mouse lymphoma cells Metabolic activation: with and without metabolic activation Method: OECD Test Guideline 476 Result: negative : Test Type: Ames test Metabolic activation: with and without metabolic activation Result: negative Genotoxicity in vivo : Test Type: Chromosome aberration assay in vivo Test species: rat Cell type: Bone marrow Application Route: Intraperitoneal Exposure time: 1 or 5 d Dose: 0, 0.025, 0.082, 0.247 ml/kg Result: negative Test Type: Dominant lethal assay Test species: mouse (male) Application Route: inhalation (vapor) Exposure time: 6 h/d, 5 d/wk for 8 wks Dose: 0, 100, 400 ppm Method: OECD Test Guideline 478 Result: negative Germ cell mutagenicity Assessment : Tests on bacterial or mammalian cell cultures did not show mutagenic effects.
LC50 (rat, male and female)	28.1 mg/l Exposure time: 4 h Test atmosphere: vapor Method: OECD Test Guideline 403
LD50 (rabbit)	> 5,000 mg/kg
LD50 (rat, male)	> 5,580 mg/kg
Repeated dose toxicity	Species: mouse, male and female NOAEL: 625 mg/kg LOAEL: 1,250 mg/kg Application Route: Oral Exposure time: 13 wks Number of exposures: 5 d/wk Dose: 312, 625, 1250, 2500, 5000 Group: yes GLP: yes Symptoms: death, Increased liver weight, ataxia, hyperactivity, hypothermia Species: rat, male and female NOAEL: 300 Application Route: inhalation (vapor) Exposure time: 6, 12, or 18 months Number of exposures: 6 h/d, 5 d/wk Dose: 0, 30, 100, 300 ppm Method: OECD Test Guideline 453 Repeated dose toxicity - Assessment : Causes skin irritation.
Reproductive toxicity	Effects on fertility : Test Type: Two-generation study Species: rat, male and female Application Route: Inhalation Dose: 0, 100, 500, 2000 ppm Frequency of Treatment: 7 days/week General Toxicity - Parent: NOAEC: 500 ppm General Toxicity F1: NOAEC: 500 ppm Fertility: NOAEC: 2,000 ppm Symptoms: Reduced maternal body weight gain. Reduced offspring weight gain. Method: OECD Test Guideline 416 Result: Animal testing did not show any effects on fertility. GLP: yes Test Type: Fertility Species: rat, male and female Application Route: inhalation (vapor) Dose: 0, 600, 1200 ppm Frequency of Treatment: 7 days/week General Toxicity - Parent: NOAEC: 600 ppm Symptoms: Decreased sperm count Result: Animal testing did not show any effects on fertility.
Reproductive toxicity (cont.)	Effects on fetal development : Species: rat Application Route: inhalation (vapor) Dose: 0, 250, 750, 1500, 3000 ppm Duration of Single Treatment: 10 d Frequency of Treatment: 6 hr/day General Toxicity Maternal: NOAEC: 750 ppm Developmental Toxicity: NOAEC: 750 ppm Symptoms: Maternal toxicity, Reduced body weight, Skeletal malformations. GLP: yes Reproductive toxicity - Assessment : Some evidence of adverse effects on sexual function and fertility, and/or on development, based on animal experiments.
Respiratory or skin sensitization	Test Type: Maximization Test (GPMT) Species: guinea pig Result: Did not cause sensitization on laboratory animals. GLP: yes
Serious eye damage/eye irritation	Species: rabbit Result: Irritating to eyes. Method: OECD Test Guideline 405
Skin corrosion/irritation	Species: rabbit Exposure time: 4 h Result: Irritating to skin.
STOT - repeated exposure	Inhalation Auditory system, Eyes May cause damage to organs through prolonged or repeated exposure., The substance or mixture is classified as specific target organ toxicant, repeated exposure, category 2.
STOT - single exposure	Exposure routes: Target Organs: Assessment: Remarks: Inhalation Central nervous

	system May cause drowsiness or dizziness. The substance or mixture is classified as specific target organ toxicant, single exposure, category 3 with narcotic effects.
Xylene(1330-20-7)	
Acute dermal toxicity	Acute toxicity estimate : 1,100 mg/kg Method: Expert judgment.
Acute inhalation toxicity	Acute toxicity estimate, 4631 ppm Exposure time, 4 h Test atmosphere: gas Method; Calculation method.
Acute toxicity Product	Acute oral toxicity : Acute toxicity estimate : 3,523 mg/kg Method: Calculation method.
Aspiration Toxicity	May be fatal if swallowed and enters airways.
Carcinogenicity	Species: mouse, (male and female) Application Route: Oral Exposure time: 103 wk Dose: 0, 500 or 1000 mg/kg Frequency of Treatment: 5 days/week Method: Directive 67/548/EEC, Annex V, B.32. Result: did not display carcinogenic properties GLP: No data available, Carcinogenicity - Assessment : Animal testing did not show any carcinogenic effects.
Germ cell mutagenicity	Test Type: Chromosome aberration test in vitro. Test Species: Chinese hamster ovary (CHO) Metabolic Activation: With and without metabolic activation. Method Mutagenicity (in vitro mammalian cytogenetic test) Result: Negative. Test Type: Sister chromatid exchange assay in mammalian cells.
Germ cell mutagenicity Assessment	Animal testing did not show any mutagenic effects.
LC50 (rat, male) Inhalation	6700 ppm Exposure time: 4 h Method: Directive 67/548/EEC, Annex V, B.2. GLP: No data available Assessment: The substance or mixture is classified as specific target organ toxicant, single exposure, category 3 with respiratory tract irritation. Remarks: Acutely Toxic Category 4
LC50 (rat, male) Oral	3,523 mg/kg Method: EU Method B.1 (Acute Toxicity, Oral) Target Organs: Kidney, Bladder GLP: no
Repeated dose toxicity	Species: rat, male and female NOAEL: 250 mg/kg Application Route: Oral Exposure time: 103 wk Number of exposures: 5 d/wk Dose: 0, 250 or 500 mg/kg Assessment: The substance or mixture is classified as specific target organ toxicant, repeated exposure, category 2.
Reproductive toxicity	Effects on fertility : Test Type: Two-generation study Species: rat, male and female Application Route: Inhalation Dose: 0, 25, 100 and 500 ppm Duration of Single Treatment: 6 h Frequency of Treatment: 7 days/week General Toxicity - Parent: NOAEC: > 500 ppm General Toxicity F1: NOAEC: > 500 ppm Early Embryonic Development: NOAEC: > 500 ppm Result: No reproductive effects. Effects on fetal development : Species: rat Application Route: Inhalation Dose: 0, 100, 500, 1000 or 2000 ppm Duration of Single Treatment: 14 d Frequency of Treatment: 6 hr/day General Toxicity Maternal: NOAEC: 500 ppm Teratogenicity: NOAEC: > 2,000 Developmental Toxicity: NOAEC: 100 ppm Result: No teratogenic effects., Developmental toxicity occurred at maternal toxicity dose levels Reproductive toxicity - Assessment : Animal testing did not show any effects on fertility. Damage to fetus not classifiable
Respiratory or skin sensitization	Remarks: No data available
Serious eye damage/eye irritation	Species: rabbit Result: Mild eye irritation
Skin corrosion/irritation	Species: rabbit Exposure time: 24 h Result: Irritating to skin Remarks: Skin irritation, Category 2
STOT - repeated exposure	Target Organs: Liver, Kidney, Central nervous system Assessment: May cause damage to organs through prolonged or repeated exposure.
STOT - single exposure	No data available.

12. ECOLOGICAL INFORMATION

Aliphatic Solvent(64742-47-8)	
Bioaccumulative potential	No data available.
EC50 (Daphnia Magna) Toxicity to daphnia and other aquatic invertebrates	1.4 mg/l - 48 h, - Daphnia magna (Water flea), (OECD Test Guideline 202)
LC50 (Rainbow trout) Toxicity to fish	2.9 mg/l - 96 h, Oncorhynchus mykiss (rainbow trout)
Mobility in soil	No data available.
Other adverse effects	An environmental hazard cannot be excluded in the event of unprofessional handling or disposal. Toxic to aquatic life. No data available.
Persistence and degradability	No data available.
Results of PBT and vPvB assessment	PBT/vPvB assessment not available as chemical safety assessment not required/not conducted.
Aluminum Hydroxide(21645-51-2)	
Bioaccumulative potential	Inert material.
EC50 - Daphnia - Toxicity to	>10,000 mg/l, Daphnia magna (Water flea) (OECD Test Guideline 202)

daphnia and other aquatic invertebrates	
EC50 - Fish - Toxicity to fish	>10,000 mg/l, Fish
Mobility in soil	Inert material.
NOEC - Toxicity to algae	>0.004 mg/l, 72 h, Pseudokirchneriella subcapitata (algae) - (OECD Test Guideline 201)
Other adverse effects	None known.
Persistence and degradability	Non-degradable
Amorphous Silica(7631-86-9)	
Additional ecological information	General notes: Do not allow product to reach ground water, water course or sewage system.
Bioaccumulative potential	No further relevant information available.
EC50 - Algae	>10000 mg/l (Scenedesmus subspicatus) (72 h) (OCED 201) comparable substance
EC50 - Daphnia magna	>1000 mg/l (Daphnia magna) (24 h) (OCED 202)
LCO - Zebra fish	10000 mg/l (zebra fish) (96 h) (static) (OCED203)
Mobility in soil	No further relevant information available.
Persistence and degradability	The product is chemically and biologically inert. By the insolubility in water there is a separation at every filtration and sedimentation process.
Carbon Black(1333-86-4)	
Behavior in water treatment plants	Activated sludge, EC0 (3 h) > 800 mg/L. DEV L3 (TTC test)
Bioaccumulation Potential	Potential bioaccumulation is not expected because of the physicochemical properties of the substance
EC50 (Scenedesmus subspicatus)	> 10,000 mg/L, OECD (Guideline 201)
EC50 Daphnia magna (waterflea)	>5600 mg/l (24 h) OECD (Guideline 202)
Environmental fate	Carbon black is an inert solid, stable and insoluble in water or organic solvents. Its vapor pressure is negligible. Based on these properties it is expected that carbon black will not occur in air or water in relevant amounts. Also potential for distribution via water or air can be dismissed. The deposition in soil or sediments is therefore the most relevant compartment of fate in the environment.
LC50 Brachydanio reio (zebrafish)	>1000 mg/l (96 h) OECD (Guideline 203)
NOEC 50 (Scenedesmus subspicatus)	> 10,000 mg/L, OECD (Guideline 201)
Dipropylene Glycol Methyl Ether(34590-94-8)	
Bioaccumulative Potential	No Data Available
EC 50 Toxicity to Daphnia and other aquatic invertebrates	1,919 mg/l , 48 h (Daphnia Magna)
LC 50 Toxicity to Fish	10,000 mg/l , 96 h (Pimephales promelas)
Mobility in Soil	No Data Available
Other Adverse Effects	No Data Available
Persistence and degradability	Biodegradability
Results of PBT and vPvB assessment	PBT vPvB assessment not available as chemical safety assessment not required / conducted
Ethylene glycol mono butyl ether(111-76-2)	
Bioaccumulative potential	Partition coefficient: n-octanol/water: log Pow: 0.83
EC50 (Algae)	911 mg/l End point: Biomass Exposure time: 72 h Test Type: static test Analytical monitoring: yes Method: OECD Test Guideline 201 GLP: no
EC50 (Daphnia)	1,800 mg/l(48 h; Daphnia magna (Water flea)): Exposure time: 48 h Test Type: static test Method: OECD Test Guideline 202 GLP: no
LC50 (fish)	1,474 mg/l Pimephales promelas (Fathead minnow)Exposure time: 96 h Test Type: static test, Method: OECD Test Guideline 203 GLP: no
Mobility in soil	No data available
Other adverse effects	No data available
Persistence and degradability	aerobic Inoculum: Activated sludge, domestic, adaption not specified, Result: Readily biodegradable. Biodegradation: 90.4 % Exposure time: 28 d Method: OECD Test Guideline 301B GLP: no
Product	Regulation: 40CFR Protection of Environment, Part 82 Protection of Stratospheric Ozone - CAA Section 602 Class 1 Substances:
Glycol Ether PM(107-98-2)	
Bioaccumulative potential	No data available.
Mobility in soil	No data available.
Other adverse effects	No data available.
Persistence and degradability	No data available.
Results of PBT and vPvB assessment	PBT/vPvB assessment not available as chemical safety assessment not required/not conducted.
Toxicity	No data available.
Isobutyl Alcohol(78-83-1)	

Chronic	No data available.
Degradability / Persistence; Biological / A biological Degradation	Evaluation: Not readily biodegradable (by OECD criteria).
EC50 - Aquatic Plants	>100 mg/l (72 h) The product has not been tested. The statement has been derived from properties of the individual components.
EC50 - Daphnia - Acute	>100 mg/l (48 h) The product has not been tested. The statement has been derived from properties of the individual components.
LC50 - Fish - Acute	>100 mg/l (96 h) The product has not been tested. The statement has been derived from properties of the individual components.
Microorganisms	Toxicity to microorganisms: bacteria EC10 (17 h): >750 mg/l. The product has not been tested. The statement has been derived from properties of the individual components.
Meta-Xylene(108-38-3)	
Bioaccumulative potential	Due to the distribution coefficient n-octanol/water, accumulation in organisms is not expected.
LC50 (Fish)	11.23 mg/l - 96 h (OECD Test Guideline 203)
Mobility in soil	No data available.
Other adverse effects	An environmental hazard cannot be excluded in the event of unprofessional handling or disposal. Harmful to aquatic life with long lasting effects.
Persistence and degradability	No data available.
Results of PBT and vPvB assessment	PBT/vPvB assessment not available as chemical safety assessment not required/not conducted.
Toxicity to algae	Remarks: No data available
Toxicity to daphnia and other aquatic invertebrates	Remarks: No data available.
Methyl Amyl Ketone(110-43-0)	
Aquatic invertebrates	No data available.
Bioaccumulative potential	No data available.
Chronic Toxicity (Fish)	No data available.
ErC50 (Senastrum capricornutum)	98.2 mg/l, 72 h
LC50 (Fathead Minnow) Acute toxicity	131 mg/l , (96 h)
Mobility in soil	No data available.
Persistence and degradability	69 % (28 d, Ready Biodegradability - CO2 in Sealed Vessels (Headspace Test)). Biological Oxygen Demand BOD-5: 1,770 mg/g BOD-20: 2,000 mg/g , Chemical Oxygen Demand: 2,420 mg/g, BOD/COD ratio No data available.
Results of PBT and vPvB assessment	No data available.
Methyl Ethyl Ketone(78-93-3)	
Bioaccumulative potential	Partition coefficient: n-octanol/water: log Pow: 2.49
EC50 (Algae)	2029 mg/l (48 h; Pseudokirchneriella subcapitata (Green Algae))
EC50 (Daphnia)	308 mg/l (48 h; Daphnia magna (Water flea))
LC50 (fish)	2993 mg/l (96 h; Pimephales promelas (Fathead minnow))
Mobility in soil	No data available
Other adverse effects	No data available
Persistence and degradability	Biodegradability: Concentration: 2mg/l; Result: Readily biodegradation: 98%; Exposure 28 d;
Product	Regulation: 40CFR Protection of Environment, Part 82 Protection of Stratospheric Ozone - CAA Section 602 Class 1 Substances:
n-Butyl Acetate(123-86-4)	
Bioaccumulative potential	No data available.
Chronic Toxicity	Fish: No data available. Aquatic invertebrates: No data available. Toxicity to Aquatic Plants: No data available.
LC-50 (Fathead Minnow) Acute Toxicity	18 mg/l, (96 h)
LC-50 (Water Flea) Aquatic invertebrates	44 mg/l , (48 h)
Mobility in soil	Known or predicted distribution to environmental compartments: No data available.
Other adverse effects	No data available.
Persistence and degradability	83 % (28 d), Biological Oxygen Demand:BOD-5: 730 mg/g, Chemical Oxygen Demand:1,010 mg/g, BOD/COD ratio:72 %.
Results of PBT and vPvB assessment	No data available.
O-Xylene(95-47-6)	
Bioaccumulative potential	No data available.
LC50 - Lepomis macrochirus - Toxicity	16.10 mg/l, 96 h, Lepomis macrochirus (Bluegill)

Mobility in soil	No data available.
Other adverse effects	An environmental hazard cannot be excluded in the event of unprofessional handling or disposal. Harmful to aquatic life with long lasting effects.
Persistence and degradability	Biodegradability aerobic - Exposure time 28 d Result: 69.67 % - Not readily biodegradable. (OECD Test Guideline 301F) Remarks: The 10 day time window criterion is not fulfilled.
Results of PBT and vPvB assessment	PBT/vPvB assessment not available as chemical safety assessment not required/not conducted
P.M. Acetate(108-65-6)	
Aquatic invertebrates	NOEC (daphnia, 21 d): >= 100 mg/l EC-50 (daphnia, 21 d): > 100 mg/l
Bioaccumulative potential	No data available.
Biological Oxygen Demand	363 mg/g 1,050 mg/g
Chemical Oxygen Demand	No data available.
Chronic Toxicity Fish	LC-50 (Oryzias latipes, 14 d): 63.5 mg/l NOEC (Oryzias latipes, 14 d): 47.5 mg/l
LC50 - Daphnoid - Aquatic invertebrates	408 mg/l (48 h)
LC50 - Fathead Minnow - Toxicity to Fish	161 mg/l (96 h)
Mobility in soil	No data available.
Other adverse effects	No data available.
Persistence and degradability	Biodegradation - 90 % (28 d, Ready Biodegradability: CO2 Evolution Test) Readily biodegradable
Results of PBT and vPvB assessment	No data available.
Toxicity to Aquatic Plants	EC-50 (Selenastrum capricornutum, 96 h): > 1,000 mg/l NOEC (Selenastrum capricornutum, 96 h): >= 1,000 mg/l
Para-Xylene(106-42-3)	
Bioaccumulative potential	No data available.
EC50 - Daphnia magna - Toxicity to daphnia and other aquatic invertebrates	35.50 - 63.10 mg/l - 48 h, Daphnia magna (Water flea)
EC50 - Pseudokirchneriella subcapitata - Toxicity to algae	3.20 - 4040 mg/l - 72 h, Pseudokirchneriella subcapitata (green algae)
LC50 - Carassius auratus - Toxicity to fish	18.00 mg/l - 24 h, Carassius auratus (goldfish)
LC50 - Oncorhynchus mykiss - Toxicity to fish	2.60 mg/l - 96 h, Oncorhynchus mykiss (rainbow trout)
Mobility in soil	No data available.
Other adverse effects	An environmental hazard cannot be excluded in the event of unprofessional handling or disposal. Toxic to aquatic life.
Persistence and degradability	Biodegradability Result: 87.8 % - Readily biodegradable
Results of PBT and vPvB assessment	PBT/vPvB assessment not available as chemical safety assessment not required/not conducted
phenol, 4-(1-1-dimethylethyl)-, polymer with 2-(chromomethyl)oxirane and 4,4'-(1-methylethylidene)bis[phenol](80-05-7)	
Bioaccumulative potential	LogP ow -, BCF- 31 days, Potential- low.
Mobility in soil	Soil. Water partition coefficient (Koc) - 445, Other adverse effects - No known significant effects or critical hazards.
Oral, Inhalation or Dermal Toxicity	No data available.
Other ecological information	BOD5- Not determined., COD- Not determined., TOC- Not determined.
Persistence and degradability	OECD Derived from OECD 301F (Biodegradation Test), 28 days - 5%, Conclusion/Summary - Not readily biodegradable.
Phenylethane(100-41-4)	
Bioaccumulative potential	Partition coefficient: noctanol/water : log Pow: 2.92
EC50 (Daphnia magna (Water flea))	1.8 mg/l Exposure time: 48 h Test Type: static test
EC50 (Pseudokirchneriella subcapitata)	5.4 mg/l Exposure time: 72 h Test Type: static test Analytical monitoring: yes Method: Static GLP: yes
LC50 (Oncorhynchus mykiss (rainbow trout))	4.2 mg/l Exposure time: 96 h Test Type: semi-static test
Mobility in soil	No data available.
Other adverse effects	Results of PBT and vPvB assessment : This substance is not considered to be persistent, bioaccumulating nor toxic (PBT). This substance is not considered to be very persistent nor very bioaccumulating (vPvB).
Persistence and degradability	Biodegradability : Inoculum: activated sludge Concentration: 22 mg/l Result: Readily biodegradable. Biodegradation: 70 % Exposure time: 28 d GLP: yes
Toxicity to daphnia and other aquatic invertebrates (Chronic	(Daphnia): 3.6 mg/l Toxicity to bacteria : GLP: Remarks: No data available Ecotoxicology Assessment Chronic aquatic toxicity : Harmful to aquatic life with long

toxicity)	lasting effects.
Titanium Dioxide(13463-67-7)	
LC50 fish	Fathead minnow 96 h >1000 mg/l
Toluene(108-88-3)	
Bioaccumulative potential	Partition coefficient: noctanol/water : log Pow: 2.73
EC50 (Ceriodaphnia dubia)	3.78 mg/l Exposure time: 48 h Test Type: Renewal
EC50 (Chlorella vulgaris (Fresh water algae))	134 mg/l Exposure time: 3 h Test Type: static test
IC50 (Bacteria)	84 mg/l Exposure time: 24 h, Test Type: Static Ecotoxicology Assessment Acute aquatic toxicity : Toxic to aquatic life. Chronic aquatic toxicity : Toxic to aquatic life with long lasting effects.
LC50 (Oncorhynchus mykiss (rainbow trout))	5.5 mg/l Exposure time: 96 h Test Type: flow-through test
Mobility in soil	No data available.
Other adverse effects	No data available.
Persistence and degradability	Biodegradability : Inoculum: Sewage Biodegradation: 100 % Remarks: Readily biodegradable
Xylene(1330-20-7)	
Bioaccumulative potential	Partition coefficient: noctanol/water : log Pow: 2.77 - 3.15
EC50 (Pseudokirchneriella subcapitata)	4.36 mg/l End point: Growth rate Exposure time: 73 h Test Type: static test Analytical monitoring: yes
IC50 (Daphnia magna (Water flea))	1 mg/l Exposure time: 24 h Test Type: static test Test substance: Information given is based on data obtained from similar substances. Method: OECD Test Guideline 202 GLP
LC50 (Oncorhynchus mykiss (rainbow trout))	2.6 mg/l Exposure time: 96 h Test substance: Information given is based on data obtained from similar substances. Method: OECD Test Guideline 203 GLP: No data available
Mobility in soil	No data available.
Persistence and degradability	Biodegradability : Inoculum: activated sludge Result: Readily biodegradable. Biodegradation: 72 % Exposure time: 20 d

13. DISPOSAL CONSIDERATIONS

WASTE TREATMENT METHODS

GENERAL INFORMATION : No data available.

DISPOSAL METHOD: Dispose of waste and residues in accordance with Local, State, and Federal Regulations. Mix with compatible chemical which is less flammable and incenerate. Since emptied containers retain product residue, follow label warnings even after container is emptied. Residual vapors may explode on ignition; do not cut, drill, grind or weld or near this container.

14. TRANSPORT INFORMATION

***CHECK WITH YOUR CARRIER FOR ADDITIONAL RESTRCTIONS THAT MAY APPLY.**

USDOT GROUND

DOT (DEPARTMENT OF TRANSPORTATION)

PROPER SHIPPING NAME (DOT) : Paint, flammable liquid

HAZARDS CLASS : 3

UN/NA NUMBER : UN1263

PACKING GROUP : PG II

EMERGENCY RESPONSE GUIDE (ERG) : 128

IATA (AIR)

DOT (INTERNATIONAL AIR TRANSPORTATION ASSOCIATION)

PROPER SHIPPING NAME : Paint, flammable liquid

HAZARDS CLASS : 3

UN/NA NUMBER : UN1263

PACKING GROUP : PG II

EMERGENCY RESPONSE GUIDE (ERG) : 128

IMDG (OCEAN)

PROPER SHIPPING NAME : Paint, flammable liquid

HAZARDS CLASS : 3

UN/NA NUMBER : UN1263

PACKING GROUP : PG II

EMERGENCY RESPONSE GUIDE (ERG) : 128

MARINE POLLUTANT : No

SPECIAL PRECAUTIONS : P210 Keep away from heat/sparks/open flames/hot surfaces. No smoking. P235 Keep cool.

15. REGULATORY INFORMATION

US FEDERAL REGULATIONS

All ingredients in Section #3 are TSCA (Toxic Substance Control Act) listed.

OSHA HAZARDS : Flammable liquid, Moderate skin irritant, Moderate eye irritant, Carcinogen.

EPCRA - Emergency

CERCLA REPORTABLE QUANTITY

This product contains:	Chemical CAS#
Ethylene glycol mono butyl ether	111-76-2
Carbon Black	1333-86-4
Phenylethane	100-41-4
n-Butyl Acetate	123-86-4
Xylene	1330-20-7
Isobutyl Alcohol	78-83-1

SARA 304 Extremely Hazardous Substances Reportable Quantity : This material does not contain any components with a section 304 EHS RQ.

SARA TITLE III (SUPERFUND AMENDMENTS AND REAUTHORIZATION ACT)

SARA 311/312 Hazards : Fire Hazard, Acute Health Hazard, Chronic Health Hazard

SARA 313 :

This product contains:	Chemical CAS#
Titanium Dioxide	13463-67-7
Bisphenol A	80-05-7
Methyl Ethyl Ketone	78-93-3
Methyl Amyl Ketone	110-43-0
Glycol Ether PM	107-98-2
Amorphous Silica	7631-86-9
P.M. Acetate	108-65-6
Ethylene glycol mono butyl ether	111-76-2
Carbon Black	1333-86-4
Phenylethane	100-41-4

CLEAN AIR ACT :

This product contains:	Chemical CAS#
Bisphenol A	80-05-7
Meta-Xylene	108-38-3
Phenylethane	100-41-4
Para-Xylene	106-42-3
O-Xylene	95-47-6
Phenylethane	100-41-4
Toluene	108-88-3

INTERNATIONAL REGULATIONS

CLASSIFICATION ACCORDING TO REGULATION (EC) No. 1272/2008 (CLP) :

Flam. Liq. 2 H226

Eye Irrit. 2 H319

STOT SE 3 H336

NATIONAL REGULATIONS

This product contains:	Chemical CAS#
#Titanium Dioxide	13463-67-7
#Carbon Black	1333-86-4
#Phenylethane	100-41-4

Indicates a chemical listed by IARC as a possible carcinogen.

STATE REGULATIONS CALIFORNIA PROPOSITION 65

This product contains:	Chemical CAS#
*Aliphatic Solvent	64742-47-8
*Phenylethane	100-41-4
*Phenylethane	100-41-4
+Toluene	108-88-3

*This product contains (a) chemical (s) known to the State of California to cause cancer.

#This product contains (a) chemical (s) known to the State of California to be carcinogenic.

+This product contains (a) chemical (s) known to the State of California to cause birth defects or other reproductive harm.

Massachusetts Right to Know

This product contains	Chemical CAS#
Methyl Amyl Ketone	110-43-0
Glycol Ether PM	107-98-2
Ethylene glycol mono butyl ether	111-76-2
Carbon Black	1333-86-4
Aliphatic Solvent	64742-47-8
Phenylethane	100-41-4
Para-Xylene	106-42-3
O-Xylene	95-47-6
n-Butyl Acetate	123-86-4
Xylene	1330-20-7
Isobutyl Alcohol	78-83-1
Dipropylene Glycol Methyl Ether	34590-94-8

Pennsylvania Right to Know

This product contains	Chemical CAS#
Titanium Dioxide	13463-67-7
Methyl Amyl Ketone	110-43-0
Glycol Ether PM	107-98-2
Amorphous Silica	7631-86-9
P.M. Acetate	108-65-6
Ethylene glycol mono butyl ether	111-76-2
Aluminum Hydroxide	21645-51-2
Carbon Black	1333-86-4
Aliphatic Solvent	64742-47-8
Phenylethane	100-41-4
Para-Xylene	106-42-3
O-Xylene	95-47-6

n-Butyl Acetate	123-86-4
Xylene	1330-20-7
Isobutyl Alcohol	78-83-1
Dipropylene Glycol Methyl Ether	34590-94-8

New Jersey Right to Know

This product contains	Chemical CAS#
Titanium Dioxide	13463-67-7
Methyl Amyl Ketone	110-43-0
Glycol Ether PM	107-98-2
Amorphous Silica	7631-86-9
P.M. Acetate	108-65-6
Ethylene glycol mono butyl ether	111-76-2
Aluminum Hydroxide	21645-51-2
Carbon Black	1333-86-4
Aliphatic Solvent	64742-47-8
Phenylethane	100-41-4
Para-Xylene	106-42-3
O-Xylene	95-47-6
n-Butyl Acetate	123-86-4
Xylene	1330-20-7
Isobutyl Alcohol	78-83-1
Dipropylene Glycol Methyl Ether	34590-94-8

16. OTHER INFORMATION

Other Product Information


% Volatile by Volume: 44.34	% Volatile by Weight: 27.49
% Solids by volume: 55.66	% Solids by Weight: 72.51
% Exempt by Volume: 0.00	% Exempt by Weight: 0.00

VOC CONTENT: Excluding Exempt VOC: 375
Including Exempt VOC: 375

HMIS RATING

Health :	2*
Flammability :	3
Reactivity :	0
Personal Protection :	H

NFPA CODES



MANUFACTURER DISCLAIMER : The information contained in this Safety Data Sheet is considered to be true and accurate. Cardinal Industrial Finishes makes no warranties, expressed or implied, as to the accuracy and adequacy of this information. This data is offered solely for the user's consideration, investigation and verification.